

SHEAR TEST FIXTURES

to test steel welded wires according to ASTM A185, ASTM A497, ASTM A974, ASTM C1452, DIN 488-5, DIN EN ISO 15630-2, DIN EN 10223-8, GOST 10922-12 (Fig.4).


Additional lower grip is required for the test (see page 8).
The lower grip is not included in the scope of supply and must be ordered separately.



Item no.: THS290-1-5-16

According to **DIN 488** - Reinforcing steels - Lattice girders. Shear test. Part 2.
ASTM C1452 - Standard specification for reinforced autoclaved aerated concrete elements.

- Sample size: Ø 5-16 mm
Further sample sizes on request.
- Adapter: Flange adapter or threaded rod.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Weight: 12.9 kg per grip without adapter
- Scope of supply: 1 fixture



THS290-1-5-16-M8x40



with threaded rod




with flange adapter

Item no.: THS290-30

According to **DIN EN ISO 15630-2** - Steel for the reinforcement and prestressing of concrete - Test methods - Part 2: Welded fabric

- Sample size: Ø 4-16 mm
Further sample sizes on request.
- Max. load: 50 kN
- Coupling: Af318. Further couplings on request.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Scope of supply: 1 fixture



THS290-30-Af318


Item no.: THS290-20

According to **ASTM A185** - Standard specification for steel welded wire reinforcement, plain, for concrete.

ASTM A497 - Standard specification for steel welded wire reinforcement, deformed, for concrete.

ASTM A974 - Welded wire fabric gabions and gabion mattresses (metallic-coated or polyvinyl chloride (PVC) coated).

- Sample size: Ø 3-8 mm
Further sample sizes on request.
- Max. load: 50 kN
- Coupling: Af318. Further couplings on request.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Scope of supply: 1 fixture




THS290-20

Item no.: THS290-21

According to **EN ISO 15630-2 (BS 44483)** –
 Steel for the reinforcement and prestressing of concrete -
 Test methods - Part 2: Welded fabric.

- Sample size: Ø 4-12 mm
Further sample sizes on request.
- Max. load: 50 kN
- Coupling: Af318. Further couplings on request.
- Body: Steel
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Scope of supply: 1 fixture




THS290-21

Item no.: THS290-10

According to **ASTM C1452** - Standard specification for reinforced autoclaved aerated concrete elements.

DIN EN ISO 15630-2 - Steel for the reinforcement and prestressing of concrete - Test methods - Part 2: Welded fabric.

- Sample size: Ø 3-16 mm
Further sample sizes on request.
- Max. load: 100 kN (with Af40) or
250 kN (with Af60)
- Coupling: Af40 or Af60.
Further couplings on request.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Scope of supply: 1 fixture




THS290-10

Item no.: THS290-40

According to **DIN EN 10223-8** - Steel wire and wire products for fencing and netting - Part 8: Welded mesh gabion products.

DIN EN ISO 15630-2 - Steel for the reinforcement and prestressing of concrete - Test methods - Part 2: Welded fabric.

- Sample size: Ø 3 mm
- Max. load: 20 kN
- Coupling: Af159. Further couplings on request.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C. Further temperature ranges on request.
- Scope of supply: 1 fixture




THS290-40

Item no.: THS290-41

According to **GOST 10922-12 (Fig.4)** - Welded reinforcing products and inserts, welded, lap and mechanical joints for reinforced concrete structures. General specifications.

- Sample size: Ø 5-30 mm
- Max. load: 250 kN
- Coupling: Af60.
Further couplings on request.
- Body: Steel, nickel-plated
- Temperature range: 0 ... +70°C.
Further temperature ranges on request.
- Scope of supply: 1 fixture





THS290-41-250-Af60-GOST10922-12-Fig4

Videos

Grip assembly


THS290-1-5-16 to DIN 488, ASTM C1452




Watch video 

Sample testing

THS290-1-5-16 to DIN 488, ASTM C1452



Watch video 

Recommendations for lower grip

For 50 kN max. load we recommend TH204 and TH243-50 wedge grips.
Grips for higher loads on request.



TH204
[Datasheet](#)

TH243-50
[Datasheet](#)